


cloud mini rod (60cm)

warm dim

circular product

cloud mini rod (60cm)

warm dim



cloud mini rod (60cm)


warm dim

When an old Orluna light comes to the end of its life, or is faulty, instead of throwing it away, we kindly ask you to return it to us.

1

The fully repaired and tested product enters back into our stock –with a brand new warranty.

3



The 'new' light fitting is despatched to a new customer.

4

Once we've received the unwanted or faulty fitting, it's dismantled, repaired and renewed with a new LED and PCB.

2



circular product

orluna

cloud mini rod (60cm)

warm dim

circular product

		1800K - 3000K			
		SOFT			
		Narrow	Medium	Wide	Flood
LIGHT VALUES	Beam Width FWHM	23°	28°	42°	49°
	Initial Lumens	1046	1046	1046	1046
	Engine Lumens	728	754	762	801
	Luminaire Lumens	562	640	622	626
	Engine Lm/W	69	72	73	76
	Luminiare Cd	2318	2082	1144	979
POWER	Voltage	35V			
	Drive Current	300mA			
	Circuit Power (typ)	11.8W			

Binning	SDCM (Hot)	3
CRI (typ)(R9)		97 (92)
TM30 Rf Rg		Rf 94 Rg 100
Lifetime (TM21)		L90 B5 50,000hrs (inc driver)
Lifetime (Calculated)		L70 426,000hrs
DRIVER	Protocols	Mains Dim / DALI / 0-10V
	Dim to Dark	0.1% Lux
	Distance from LED	20m / 65' (series wiring)

SPECIFICATION CODE

Engine type	Bezel	Colour Temp	Driver	Beam Width	Bezel Colour	Baffle Colour	Options
WD	- CME6 -	WD	M	M	- W -	BB	- 54 H
		WD / Warm Dim	M / Mains Dim D / DALI 0 / 0-10V X / No Driver	N / Narrow M / Medium W / Wide F / Flood	W / White RAL 9010 D / White RAL 9003 B / Black RAL 9005 C / Other RAL AB / Black Anodised AV / Bronze Anodised V / Dark Bronze T / Medium Bronze R / Light Bronze Y / Burnished Brass G / Polished Brass K / Brushed Chrome L / Polished Chrome Z / Other Metallic	WB / White RAL 9010 DB / White RAL 9003 BB / Black RAL 9005 CB / Other RAL VB / Dark Bronze TB / Medium Bronze RB / Light Bronze YB / Burnished Brass GB / Polished Brass KB / Brushed Chrome LB / Polished Chrome ZB / Other Metallic	54 / IP54 H / Honeycomb N / Frosted Lens Z / LSZH Cable Y5 / 5m Cable Y / 10m Cable